



road safety

2026

Product Catalogue

Traffic Safety Systems

www.eveluxtech.com



/our mission/

EVELUX / SECTORAL MISSION























It becomes an inevitable need to provide safety and order in rapidly increasing vehicles and pedestrian traffic. Evelux which set out with this consciousness, always took inspiration from the necessity of the sector. With its principles which are “functionality in design”, “quality in production” and “trust in delivery”, Evelux has advanced by increasing its success in its leading position.

EVELUX / FUNCTIONAL ROAD SAFETY

Providing safety and order in vehicle and pedestrian traffic, to become manageable from private and public institutions to individuals. It is also important that the products and systems used for this purposes are functional as well as practical. Evelux, manufactures systems that provide functional road safety by adding practical extensions to its products in every design.



/ Index /

	Plastic Road Barricades (Cat Eyes / Solar Flasher)	06
	Plastic Road Barricades (Delineator / Flap)	06
	Metal Safety Barricade	06
	Plastic Safety Barricades	07
	Plastic Sign Barricades	07
	Foldable Traffic Sign Barricades	08
	Traffic Sign Board / Foldable Traffic Sign Board	09
	Foldable & Safety Sign Delineators	09
	Traffic Sign Barricades	10
	Channelizer Posts & Cone	11
	Solar Flasher Lamps	12
	Solar Flasher & Battery Lamp	12
	Solar Flasher LED Lamps	13
	AC Road Warning Lamps & Signs	13
	Solar Flashing LED Road Maintenance Signs	14
	Solar Flashing LED Road Warning Signs	14
	Solar Flashing LED Road Maintenance Signs	15
	90 / 75 / 50 cm PVC / TPE Traffic Cones	16
	70 / 52 cm PVC / TPE Traffic Cones	17
	90 / 50 / 32 cm PVC Traffic Cones - 32 cm TPE Traffic Cones	17
	TPE / PPC Traffic Cones / Foldable Sign Board	18
	Pavement Boards & Foldable Floor Boards	18
	TPU - Flexible Island Bollards	19
	TPU - Flexible Removable Delineators & Flexible Delineator Boards	19
	TPU Flexible Delineators With Socket	19
	TPU Flexible Delineators	20

	TPE Flexible Delineators With Socket	21
	Curb Traffic Separators	22
	Channelizers with Cat Eyes & Flap & Channelizer Curb	22
	Channelizers with Flap	23
	Channelizers Curb / Curb Traffic Separator Flaps	23
	Curb Traffic Separator Signs	24
	Road Markers with Reflector	24
	Road Markers with Cat Eyes / Reflector	24
	PVC Speed Ramps with Reflective Tapes & Reflector	25
	PPC Speed Bumps with Reflector	25
	PPC Speed Bumps with Solar Flasher / Cat Eyes	25
	Car Parking Stoppers	26
	Folding Locked Parking Barrier	26
	Spike Barrier	26
	Parking Corner Guards	27
	Traffic Safety Mirrors	27
	Removable Pavement Bollards	28
	Ensign Centrum Bollards	28
	Pavement Bollards	29
	Safety Bollards (Steel)	29
	Cable Protector Ramps	30
	Tactile Floor Indicators / TPU Anti-Slip Stair Covering	31
	Plastic Boards	32
	Reflective Tapes	32
	Product Assembly Adaptors & Plastic Chains	33
	Fixing Screws	33



12520 FB R

12526 FB R



Plastic Road Barricades (Cat Eyes / Solar) Reflective Engineer Grade

	PART No.	DESCRIPTIONS
	12520 FB R	plastic road barricade with cat eyes-(HxLxW)60x100x40cm material: PPC / weight: 20.0 kg
	12526 FB R	plastic road barricade with solar flasher-(HxLxW)60x100x40cm material:PPC / weight: 20.0kg



Plastic Road Barricades (Delineator / Flap) Reflective High Intensity Grade



12524 FB R


12522 FB R

	PART No.	DESCRIPTIONS
	12524 FB R	plastic road barricade with delineator-(HxLxW)100x100x40cm del.:(HxØ)40 cmx80 mm / material:PPC / weight: 20.0 kg
	12522 FB R	plastic road barricade with flap - (HxLxW) 120x100x40cm sign: (HxW) 50x12 cm / material: PPC / weight: 20.0 kg

Panel Size: 57.5x13 cm - Reflective High Intensity Grade



Metal Safety Barricade



12534 FB ST

	PART No.	DESCRIPTIONS
	12534 FB ST	metal safety barricade - (HxL) 110x200 cm material: metal - Ø32x2 mm round tube / weight: 15.0 kg

Crowd Barrier


versatile application, as barrier and security of event sites, welded static painted steel construction of Ø 32 mm round tube, hooks and connection brackets are welded to the sides for combining several elements, two feet of bent round tube provide stability of barrier, total height: 1.10 m, sturdy vertical bars of Ø 16 mm round tube provide safe barrier action







Plastic Safety Barricade

Reflective Engineer Grade

PART No.	DESCRIPTIONS
 12511 FB R	plastic safety barricade - (HxL) 100x150 cm material: PPC / weight: 10.5 kg



12511 FB R

OPTIONAL ACCESSORIES



Plastic Safety Barricades

Reflective Engineer Grade

PART No.	DESCRIPTIONS
 12510 FB R	plastic safety barricade - (HxL) 100x150 cm material: PPC / weight: 12.0 kg
 12514 FB R	plastic safety barricade - (HxL) 100x150 cm color: yellow / material: PPC / weight: 12.0 kg
 12518 FB R	plastic safety barricade - (HxL) 100x150 cm color: white / material: PPC / weight: 12.0 kg
 12516 FB R	plastic safety barricade - (HxL) 100x150 cm color: blue / material: PPC / weight: 12.0 kg





12510 FB R

OPTIONAL ACCESSORIES



Plastic Sign Barricade


Reflective Engineer Grade

PART No.	DESCRIPTIONS
 12513 FB R	plastic sign barricade - (HxL) 100x150 cm sign board: 100x50 cm / material:PPC / weight:12.3 kg
 12517 FB R	plastic sign barricade - (HxL) 100x150 cm sign board: 100x50 cm / material:PPC / weight:12.3 kg

** Standard Price Sign Options



Optional Warning Signs (Uni-Directional)



12513 FB R

OPTIONAL ACCESSORIES





12500 FB R



Optional Warning Signs (Uni-Directional)

OPTIONAL ACCESSORIES



Foldable Traffic Sign Barricade
Reflective Engineer Grade

	PART No.	DESCRIPTIONS
	12500 FB R	foldable traffic sign barricade - (HxW) 150x105 cm sign board: 90x90 cm / material: PPC / weight: 18.0 kg

** Standard Price Sign Options



Foldable Traffic Sign Barricades
Reflective Engineer Grade

	PART No.	DESCRIPTIONS
	12501 FB R	foldable traffic sign barricade - (HxW) 90x115 cm sign board: 30x90 cm / material: PPC / weight: 20.0 kg
	12503 FB R	foldable traffic sign barricade - (HxW) 110x55 cm sign board: 90x30 cm / material: PPC / weight: 15.5 kg

** Standard Price Sign Options



12501 FB R



12503 FB R

OPTIONAL ACCESSORIES



Foldable Traffic Sign Barricade
Reflective Engineer Grade

	PART No.	DESCRIPTIONS
	12504 FB R	foldable traffic sign barricade - (HxW) 110x250 cm sign board: 125x75 cm / material: PPC / weight: 37.0 kg

** Standard Price Sign Options



12504 FB R

Optional Warning Signs (Uni-Directional)



Alternative 1

Alternative 2

Alternative 3



OPTIONAL ACCESSORIES





Traffic Sign Board & Foldable Traffic Sign Board

Reflective Engineer Grade

PART No.	DESCRIPTIONS
 12423 DB R A	traffic sign board - (HxW) 90x49 cm sign board: 60x40 cm / material: PPC / weight: 7.5 kg
 12417 DB R	foldable traffic sign board - (HxW) 90x60 cm sign board: 60x60 cm / material: PPC / weight: 12.0 kg

** Standard Price Sign Options



12423 DB R A
(Uni-Directional)



12417 DB R

Optional Warning Signs (Uni-Directional)



Alt. 1 Alt. 2 Alt. 3 Alt. 4
Alt. 5 Alt. 6 Alt. 9 Alt. 10






OPTIONAL ACCESSORIES



204 A 11858 FL S 11817 FL K 11855 FL KM 11814 FL S 11825 FL S

Foldable & Safety Sign Delineators

Reflective Engineer Grade

PART No.	DESCRIPTIONS
 12410 DB R	foldable sign delineator - (H) 120 cm / base: 31x48 cm sign board: 100x25 cm / material: PPC / weight:12.0 kg
 12415 DB R	foldable sign delineator - (H) 104 cm / base: 31x48 cm sign board: 80x20 cm / material: PPC / weight: 11.0 kg
 12416 DB R	foldable sign delineator - (H) 72 cm / base: 22x45 cm sign board: 48x20 cm / material: PPC / weight: 6.5 kg
 12442 DB R	safety sign delineator-(H)124cm sign board:100x25cm(Type I)/material:PPC/weight:2.1kg
 12444 DB R	safety sign delineator-(H)124cm sign board:100x25cm(Type I)/material:PPC/weight:2.1kg

** Standard Price Sign Options



12410 DB R



12410 DB R




12415 DB R



12416 DB R



Flexible and Durable Design




Alt. 1 Alt. 3 Alt. 6 Alt. 7

Optional Warning Signs

12410 DB R -12415 DB R - 12416 DB R - 12442 DB R - 12444 DB R

Optional Accessory Use



1 2
Ø42 mm M36
60x60 mm

Bi-Directional



12442 DB R




12444 DB R

Bi-Directional

OPTIONAL ACCESSORIES



204 A 11858 FL S 11856 FL S 11814 FL S 11811 FL S



12405 DB R


OPTIONAL ACCESSORIES



Traffic Sign Barricade
Reflective Engineer Grade

	PART No.	DESCRIPTIONS
	12405 DB R	traffic sign barricade - (HxL) 120x180 cm sign board: 75x125 cm / material: PPC / weight: 31.0 kg

** Standard Price Sign Options



12407 DB R

OPTIONAL ACCESSORIES



Traffic Sign Barricade
Reflective Engineer Grade

	PART No.	DESCRIPTIONS
	12407 DB R	traffic sign barricade - (HxL) 120x180 cm sign board: 31.5x90 cm / material: PPC / weight:27.0 kg

** Standard Price Sign Options



Traffic Sign Barricade Applications





Channelizer Posts & Cone

Reflective Engineer Grade

	PART No.	DESCRIPTIONS
	12404 DB R	channelizer post - (HxØ) 120 cm x 110 mm base:(Ø) 400 mm / material:PPC / weight:12.0 kg
	12420 DB R	channelizer post - (HxØ) 110 cm x 80 mm base:(Ø) 400 mm / material:PPC / weight:6.5 kg
	12430 DB R	channelizer cone - (HxØ) 120 cm x 140 mm base:(Ø) 450 mm / material: PPC / weight: 8.7 kg



12404 DB R




12420 DB R



12430 DB R

OPTIONAL ACCESSORIES



Channelizer Posts

Reflective Engineer Grade

	PART No.	DESCRIPTIONS
	12403-1 DB R	channelizer post - (HxØ) 100 cm x 63 mm base: (Ø) 400 mm / material: PPC / weight: 4.0 kg
	12409-1 DB R	channelizer post - (HxØ) 100 cm x 63 mm base: (Ø) 400 mm / material: PPC / weight: 4.0 kg
	12435 DB	channelizer post - (HxØ) 90 cmx40 mm base:(Ø) 300 mm / material: PE / weight: 1.9 kg



12403-1 DB R



12409-1 DB R




12435 DB

OPTIONAL ACCESSORIES



Channelizer Posts Applications





11811 FL S
11813 FL K
Double-sided LED light source

11825 FL S
11827 FL K

Solar Flasher Lamps

	PART No.	DESCRIPTIONS
	11811 FL S	solar flasher lamp - (HxW) 30x24 cm - yellow leds flash lens: Ø160 mm / material: ABS / weight: 0.84 kg
	11813 FL K	solar flasher lamp - (HxW) 30x24 cm - red leds flash lens: Ø160 mm / material: ABS / weight: 0.84 kg
	11825 FL S	solar flasher lamp - (HxW) 29x22 cm - yellow leds flash lens: Ø160 mm / material: ABS / weight: 0.75 kg
	11827 FL K	solar flasher lamp - (HxW) 29x22 cm - red leds flash lens: Ø160 mm / material: ABS / weight: 0.75 kg

ELECTRONIC SPECS.

solar panel	type	monocrystalline silicon cell	LED	color	Yellow Red
	dimension (H/L)	45x120 mm		dimension	Ø 5 mm leds
	voltage	4 V		flash rate	105 f/min
	watt	0.6 W		visibility dist.	200 m (night)
rechargeable battery	voltage	2x1.2 V	operation time	whole night/ daily sunlight	
	current	2000 mA/h	operation temp.	-20°C/+60°C	



11814 FL S
11816 FL K
Double-sided LED light source

11817 FL K
11819 FL S
11821 FL M

Solar Flasher Lamps

	PART No.	DESCRIPTIONS
	11814 FL S	solar flasher lamp - (HxW) 27x22 cm - yellow leds flash lens: Ø160 mm / material: ABS / weight: 0.50 kg
	11816 FL K	solar flasher lamp - (HxW) 27x22 cm - red leds flash lens: Ø160 mm / material: ABS / weight: 0.50 kg
	11817 FL K	solar flasher lamp - (HxW) 14.5 cmx128 mm-red leds diameter flash: Ø120 mm / material: PC / weight: 0.35 kg
	11819 FL S	solar flasher lamp-(HxW)14.5 cmx128 mm-yellow leds diameter flash: Ø120 mm / material: PC / weight:0.35 kg
	11821 FL M	solar flasher lamp - (HxW)14.5 cmx128 mm-blue leds diameter flash: Ø120 mm / material: PC / weight:0.35 kg

ELECTRONIC SPECS.

solar panel	type	monocrystalline silicon cell	LED	color	Yellow Red - Blue
	dimension (H/L)	45x120 mm		dimension	Ø 5 mm leds
	voltage	4 V - 3 V		flash rate	105-115 f/min
	watt	0.6 - 0.4 W		visibility dist.	200 m (night)
rechargeable battery	voltage	1.2 V	operation time	whole night/ daily sunlight	
	current	2000 mA/h	operation temp.	-20°C/+60°C	



11855 FL KM
Double-sided LED light s

11858 FL S
Double-sided LED light source

11856 FL S
Double-sided LED light source

Solar Flasher & Battery Lamp

Vitally®

	PART No.	DESCRIPTIONS
	11855 FL KM	solar flasher lamp - (HxW) 17x30 cm - red-blue leds flash lens: 30x11 cm / material: ABS / weight: 0.46 kg
	11856 FL S	solar flasher lamp - (HxW) 17x30 cm - yellow leds flash lens: 30x11 cm / material: ABS / weight: 0.46 kg
	11858 FL S	battery flasher lamp - (HxW) 32x18 cm - yellow leds flash lens: Ø180 mm / material: ABS / weight: 0.42 kg

ELECTRONIC SPECS. - 11855 FL KM / 11856 FL S

solar panel	type	monocrystalline silicon cell	LED	color	Blue, Red Yellow
	dimension (H/L)	45*120		dimension	Ø 5 mm leds
	voltage	4 V		flash rate	105 f/min
	watt	0.6 W		visibility dist.	200-100 m(night)
rechargeable battery	voltage	2x1.2	operation time	whole night/ daily sunlight	
	current	2000 mA/h	operation temp.	-20°C/+60°C	

ELECTRONIC SPECS. - 11858 FL S

battery type	4R25	LED	color	yellow
advised capacity	0.3 W / 6V / 8000 mA/h		dimension	Ø5 mm x2
function	flash / built-in switch		flash rate	60 f/min ±%5
installation	Ø48 or Ø60 mm for pole		visibility dist.	650-700 m
			operation temp.	-20°C/+60°C

OPTIONAL ACCESSORIES




126 A
194 A
184 A
204 A



Solar Flasher Led Lamps

	PART No.	DESCRIPTIONS
	11851 FL S	solar flasher led lamp - (HxW)70x40 cm - yellow leds flash lens: Ø300 mm / material: PC / weight: 8.0 kg
	11853 FL K	solar flasher led lamp - (HxW)70x40 cm - red leds flash lens: Ø300 mm / material: PC / weight: 8.0 kg
	11850 FL S	solar flasher led lamp - (HxW)70x40 cm - yellow leds flash lens: Ø300 mm / material: PC / weight: 7.3 kg
	11852 FL K	solar flasher led lamp - (HxW)70x40 cm - red leds flash lens: Ø300 mm / material: PC / weight: 7.3 kg
	11862 FL S	solar flasher led lamp - (HxW)70x40 cm - yellow leds led panel: 40x40 cm / material: PC / weight: 7.0 kg
	11860 FL S	solar flasher led lamp - (HxW)70x40 cm - yellow leds led panel: 40x40 cm / material: PC / weight: 7.0 kg



11851 FL S

11853 FL K



11850 FL S

11852 FL K

11862 FL S

11860 FL S

AC Road Warning Lamps & Signs

	PART No.	DESCRIPTIONS
	11882 FL A	AC road warning sign - (HxW)40x40 cm - yellow leds led panel: 40x40 cm / material: PC / weight: 2.8 kg
	11883 FL A	AC road warning sign - (HxW)40x40 cm - yellow leds led panel: 40x40 cm / material: PC / weight: 2.8 kg
	11885 FL A	AC road warning lamp - (HxW)40x40 cm - yellow leds flash lens: Ø300 mm / material: PC / weight: 3.1 kg
	11884 FL A	
	11888 FL A	AC road warning signs - (HxW) 60x60 cm
	11889 FL A	led panel: 60x60 cm
	11886 FL A	material: PC - weight: 5.5 kg
	11890 FL A	



11882 FL A
(Keep Right)

11885 FL A

11884 FL A

11888 FL A
(Keep Right)

11886 FL A

11890 FL A


Product Technical Data

ELECTRONIC SPECS. (SOLAR)				
solar panel	type	glass laminated	color	Yellow Red
	dimension (H/L)	293x345 mm	dimension	Ø10-Ø5 mm
	voltage	18 V	flash rate	65 f/min
	watt	10 W	visibility dist.	500 m (night)
lithium battery	material	SLA	operation time	whole night / daily sunlight
	voltage	12 V	operation temp.	-20°C/+60°C
	current	6.0 A/h		

ELECTRONIC SPECS. (AC)				
voltage	12 V AC	LED	color	yellow red white
	220 V AC		dimension	Ø10-Ø5 mm
			flash rate	65-54 f/min
			visibility dist.	500 m (night)
			operation temp.	-20°C/+60°C



Easy attached to Ø5.0 - Ø7.5 cm poles and can be adjustable on y-axis with the clamps






11800 FL (SERIES)
(60x60 cm)

Solar Flashing Led Road Maintenance Signs

PART No.	DESCRIPTIONS
11800 FL (SERIES)	solar flashing led road maintenance signs - (HxW) 90x60cm led panel: 60x60 cm - material body: PC - weight: 9.8 kg

** Standard Price Sign Options

** Reflective Composite AL Panel




21800 FL (SERIES)
(60x60 cm)

Solar Flashing Led Road Warning Signs

PART No.	DESCRIPTIONS
21800 FL (SERIES)	solar flashing led road warning signs - (HxW) 90x60cm led panel: 60x60 cm - material body: PC - weight: 9.8 kg

** Standard Price Sign Options

** Reflective Composite AL Panel



Product Technical Data



Easy attached to $\varnothing 5.0 - \varnothing 7.5$ cm poles and can be adjustable on y-axis with the clamps

ELECTRONIC SPECS.

solar panel	type	glass laminated	LED	color	red white
	dimension (H/L)	293x345 mm		dimension	$\varnothing 5$ mm leds
	voltage	18 V		flash rate	54 f/min
	watt	10 W		visibility dist.	500 m (night)
lithium battery	material	SLA	operation time	whole night/daily sunlight	
	voltage	12 V	operation temp.	-20°C/+60°C	
battery	current	6.0 A/h			





Solar Flashing Led Road Maintenance Signs


PART No.	DESCRIPTIONS
11600 S-LD (SERIES)	solar flashing led road maintenance signs - (HxW) 90x60cm led panel: 60x60 cm - material body: AL - weight: 9.7 kg
11700 S-LD (SERIES)	solar flashing led road maintenance signs-(HxW)130x100cm led panel: 100x100cm - material body: AL - weight: 16.5kg

** Standard Price Sign Options


** Reflective Composite AL Panel



11700 S-LD (SERIES)
(100x100 cm)



11600 S-LD (SERIES)
(60x60 cm)




Solar Flashing Led Road Warning Signs

PART No.	DESCRIPTIONS
11750 S-LD	solar flashing led road warning signs-(HxW) 80x150cm led panel: 50x150cm - material body: AL - weight:14.0 kg
11700-EX-03	solar flashing led road warning signs-(HxW)130x100cm led panel:100x100cm - material body: AL - weight: 16.5 kg

** Standard Price Sign Options


** Reflective Composite AL Panel



11750 S-LD
(50x150 cm)



11700-EX-03
(100x100 cm)





12325 TK R2 12327 TK A R2



12393 TK R2 12395 TK A R2

90 cm PVC / TPE Traffic Cones

Prismatic Reflective Sheeting

	PART No.	DESCRIPTIONS
	12325 TK R2	PVC traffic cone - (H) 90 cm base:(\diamond) 38.5 cm / material: PVC / weight: 3.6 kg
	12327 TK A R2	PVC traffic cone - (H) 90 cm base:(\diamond) 48.5 cm / material: PVC / weight: 6.9 kg
	12393 TK R2	TPE traffic cone - (H) 90 cm base:(\diamond) 38.5 cm / material: TPE / weight: 3.0 kg
	12395 TK A R2	TPE traffic cone - (H) 90 cm base:(\diamond) 48.5 cm / material: TPE / weight: 6.3 kg

OPTIONAL ACCESSORIES



12309 TK R2 12315 TK A R2



12387 TK R2 12389 TK A R2

75 cm PVC / TPE Traffic Cones

Prismatic Reflective Sheeting

	PART No.	DESCRIPTIONS
	12309 TK R2	PVC traffic cone - (H) 75 cm base:(\diamond) 38.5 cm / material: PVC / weight: 3.2 kg
	12315 TK A R2	PVC traffic cone - (H) 75 cm base:(\diamond) 48.5 cm / material: PVC / weight: 6.5 kg
	12387 TK R2	TPE traffic cone - (H) 75 cm base:(\diamond) 38.5 cm / material: TPE / weight: 2.7 kg
	12389 TK A R2	TPE traffic cone - (H) 75 cm base:(\diamond) 48.5 cm / material: TPE / weight: 6.0 kg



12306 TK R1 12326 TK A R1



12364 TK R1 12384 TK A R1

50 cm PVC / TPE Traffic Cones





Prismatic Reflective Sheeting

	PART No.	DESCRIPTIONS
	12306 TK R1	PVC traffic cone - (H) 50 cm base:(\diamond) 28.5 cm / material: PVC / weight: 1.3 kg
	12326 TK A R1	PVC traffic cone - (H) 50 cm base:(\diamond) 38.5 cm / material: PVC / weight: 2.65 kg
	12364 TK R1	TPE traffic cone - (H) 50 cm base:(\diamond) 28.5 cm / material: TPE / weight: 1.13 kg
	12384 TK A R1	TPE traffic cone - (H) 50 cm base:(\diamond) 38.5 cm / material: TPE / weight: 2.5 kg



70 / 52 cm PVC / TPE Traffic Cones

Prismatic Reflective Sheeting

	PART No.	DESCRIPTIONS
	12337 TK R2	PVC traffic cone - (H) 70 cm base:(∅) 38 cm / material: PVC / weight: 2.3 kg
	12332 TK R2	PVC traffic cone - (H) 52 cm base:(∅) 32 cm / material: PVC / weight: 1.25 kg
	12376 TK R2	TPE traffic cone - (H) 70 cm base:(∅) 38 cm / material: TPE / weight: 1.9 kg
	12370 TK R2	TPE traffic cone - (H) 52 cm base:(∅) 32 cm / material: TPE / weight: 1.0 kg



12337 TK R2



12332 TK R2




12376 TK R2



12370 TK R2

OPTIONAL ACCESSORIES



127 A



126 A



196 A








11819 FL S



11817 FL K

90 / 50 / 32 cm PVC - 32cm TPE Traffic Cones

Prismatic Reflective Sheeting

	PART No.	DESCRIPTIONS
	12331 TK R2	PVC traffic cone - (H) 90 cm - reflective (Type IV) base:(∅) 38.5 cm / material: PVC / weight: 4.0 kg
	12318 TK R1	PVC traffic cone - (H) 50 cm - reflective (Type IV) base:(∅) 35 cm / material: PVC / weight: 1.8 kg
	12316 TK R2	PVC traffic cone - (H) 50 cm base:(∅) 35 cm / material: PVC / weight: 1.7 kg
	12303 TK R1	PVC traffic cone - (H) 32 cm base:(∅) 22 cm / material: PVC / weight: 0.65 kg
	12362 TK R1	TPE traffic cone - (H) 32 cm base:(∅) 22 cm / material: TPE / weight: 0.54 kg



12331 TK R2



12318 TK R1



12316 TK R2



12303 TK R1



12362 TK R1

PVC - TPE Cones

Application

- * with premium quality stripes; high visibility
- * integral carrying handle and chain hole
- * lamp&signboard&chain can be attachable by cone adaptor(126 A)
- * with stackable feature; min. storage space
- * broad angled base provide wind resistance and stability

- * better visibility and long life color fading with UV protected bright orange color
- * operating temperature range: -20°C/+60°C
- * wide range of use: all warning-working zone and being managed dense traffic flow; including roads, construction areas, residential areas, parking lots and etc.



TPE / PPC & Sign Board Traffic Cones & Foldable Sign Board



12431 DB

Custom Printing Available for These Products



Alternative 1



Alternative 2



Alternative 3



Alternative 4

Optional Warning Signs (Uni-Directional)

	PART No.	DESCRIPTIONS
	12386 TK R2	TPE traffic cone - (H) 75 cm base:(∅) 38.5 cm / material: TPE / weight: 2.7 kg
	12388 TK A R2	TPE traffic cone - (H) 75 cm base:(∅) 48.5 cm / material: TPE / weight: 6.0 kg
	12300 TK	sign board traffic cone - (H) 50 cm base:(∅) 35 cm / material: PPC / weight: 1.2 kg
	12301 TK A	sign board traffic cone - (H) 52 cm base:(∅) 35 cm / material: PPC / weight: 4.0 kg
	12302 TK	PPC traffic cone - (H) 50 cm base:(∅) 35 cm / material: PPC / weight: 0.90 kg
	12350 TK	sign board traffic cone - (H) 60 cm base:(∅) 37 cm / material: PPC / weight: 1.4 kg
	12351 TK A	sign board traffic cone - (H) 62 cm base:(∅) 37 cm / material: PPC / weight: 5.0 kg
	12352 TK A	sign board traffic cone - (H) 62 cm base:(∅) 37 cm / material: PPC / weight: 5.0 kg
	12353 TK A	sign board traffic cone - (H) 62 cm base:(∅) 37 cm / material: PPC / weight: 5.0 kg
	12354 TK A	sign board traffic cone - (H) 62 cm base:(∅) 37 cm / material: PPC / weight: 5.0 kg
	12431 DB	foldable sign board - (HxW) 90x60 cm material: PPC / sign board: 60x60cm / weight:12.0kg



OPTIONAL ACCESSORIES



11811 FL S

11814 FL S

11855 FL KM

11817 FL K

11819 FL S

11821 FL M

111 A

110 A

196 A

295 A F

174 A

175 A

129 A

Pavement & Foldable Floor Boards



12429 DB A

12421 DB F A

108 A F

107 A

OPTIONAL ACCES. / 12429-12421-12426-12427-12424 DB F A

	PART No.	DESCRIPTIONS
	12429 DB A	pavement board - (HxW) 90x49 cm material: PPC / weight: 7.5 kg
	12426 DB A	pavement board - (HxW) 90x49 cm color: grey / material: PPC / weight: 7.5 kg
	12427 DB A	pavement board - (HxW) 90x49 cm color: yellow / material: PPC / weight: 7.5 kg
	12424 DB F A	pavement board - (HxW) 90x49 cm - bi-directional color: red/sign board:60x40cm/material:PPC/weight:7.5kg
	12421 DB F A	pavement board - (HxW) 90x49 cm - bi-directional sign board: 60x40 cm / material: PPC / weight: 7.5 kg
	108 A F	foldable floor board - (HxW) 62x24.5 cm - bi-directional sign board: 27x20 cm / material: ABS / weight: 1.0 kg
	107 A	foldable floor board - (HxW) 62x24.5 cm material: ABS / weight: 1.0 kg

** Standard Price Sign Options



TPU - Flexible Island Bollards

Prismatic Reflective Sheeting

	PART No.	DESCRIPTIONS
	12250 UB R	traffic flexible island bollards-(HxØ)100cmx300mm(sign) fixing screw: 4x / material: TPU / weight: 3.25 kg
	12254 UB R	traffic flexible island bollards-(HxØ) 90cm x 200mm(sign) fixing screw: 4x / material: TPU / weight: 2.00 kg
	12253 UB R	traffic flexible island bollards-(HxØ)75cm x 100mm(sign) fixing screw: 4x / material: TPU / weight: 1.40 kg
	22067 UB R	traffic flexible island bollards-(HxØ) 45cmx100 mm(sign) fixing screw: 4x / material: TPU / weight: 0.95 kg

** Standard Price Sign Options



12250 UB R

12254 UB R

12253 UB R

22067 UB R

Optional Warning Signs
(Uni-Directional)



Alt. 1



Alt. 3



Alt. 4



Alt. 5

TPU - Flexible Removable Delineators & Flexible Delineator Boards

Reflective High Intensity Grade

	PART No.	DESCRIPTIONS
	12278 UB R	flexible removable delineator - (HxØ) 92 cm x 80 mm base: (Ø) 200 mm / fixing screw: epoxy / weight: 1.75 kg
	12232 UB R	flexible removable delineator - (HxØ) 75cm x 80mm base: (Ø) 200 mm / fixing screw: epoxy / weight: 1.48 kg
	12236 UB R	flexible removable delineator - (HxØ) 45 cm x 80 mm base: (Ø) 200 mm / fixing screw: epoxy / weight: 1.1 kg
	22008 UB R	flexible removable delineator - (HxØ) 92 cm x 80 mm base: (Ø) 120 mm / fixing screw: x1 / weight: 1.65 kg
	22068 UB R	flexible delineator board(HxL)45x12 cm / base:(Ø)200mm sign board: 23x10cm / fixing screw: 4x / weight: 0.95kg
	12256 UB R	flexible delineator board(HxL)75x12 cm / base:(Ø)200mm sign board: 41x10cm / fixing screw: 4x / weight: 1.4kg



12278 UB R

12232 UB R

12236 UB R

22008 UB R

22068 UB R

12256 UB R

(Bi-Directional)

OPTIONAL ACCESSORIES



194 A



196 A



110 A



11817 FL K



11819 FL S



11814 FL S

TPU - Flexible Delineators With Socket

Reflective High Intensity Grade

	PART No.	DESCRIPTIONS
	12237 UB R	flexible delineator with socket - (HxØ) 75 cm x 110 mm base: (Ø) 260 mm / fixing screw: 4x / weight: 2.1 kg
	12249 UB R	flexible delineator with socket - (HxØ) 100 cm x 100 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 2.0 kg
	12243 UB R	flexible delineator with socket - (HxØ) 75 cm x 90 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 1.5 kg
	12247 UB R	flexible delineator with socket - (HxØ) 50 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 1.0 kg
	12281 UB R	flexible delineator with socket - (HxØ) 70 cm x 80 mm base: (Ø) 180 mm / fixing screw: 3x / weight: 1.0 kg
	12283 UB R	flexible delineator with socket - (HxØ) 40 cm x 80 mm base: (Ø) 180 mm / fixing screw: 3x / weight: 0.70 kg



12237 UB R

12249 UB R

12243 UB R

12247 UB R

12281 UB R

12283 UB R

OPTIONAL ACCESSORIES



196 A



110 A





11817 FL K




11819 FL S



11814 FL S



OPTIONAL ACCESSORIES



TPU - Flexible Delineators
Reflective High Intensity Grade

	PART No.	DESCRIPTIONS
	12211 UB R	TPU flexible delineator - (HxØ) 100 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 1.60 kg
	12212 UB R	TPU flexible delineator - (HxØ) 75 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 1.30 kg
	12214 UB R	TPU flexible delineator - (HxØ) 45 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.98 kg
	12215 UB R	TPU flexible delineator - (HxØ) 30 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.72 kg

TPU - Flexible Delineators
Reflective High Intensity Grade

	PART No.	DESCRIPTIONS
	12288 UB R	TPU flexible delineator - (HxØ) 100 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 1.60 kg
	12286 UB R	TPU flexible delineator - (HxØ) 75cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 1.30 kg
	12284 UB R	TPU flexible delineator - (HxØ) 45 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.98 kg
	12282 UB R	TPU flexible delineator - (HxØ) 30 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.72 kg
	12245 UB R	TPU flexible delineator - (HxØ) 30 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.72 kg
	12244 UB R	TPU flexible delineator - (HxØ) 45 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.98 kg
	12242 UB R	TPU flexible delineator - (HxØ) 75 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 1.30 kg
	12241 UB R	TPU flexible delineator - (HxØ) 100 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 1.60 kg



TPU - Flexible Delineators
Reflective High Intensity Grade

	PART No.	DESCRIPTIONS
	22036 UB R	TPU flexible delineator - (HxØ) 100 cmx80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 1.60 kg
	22037 UB R	TPU flexible delineator - (HxØ) 75 cmx80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 1.30 kg
	22038 UB R	TPU flexible delineator - (HxØ) 45 cmx80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.98 kg
	22039 UB R	TPU flexible delineator - (HxØ) 30 cmx80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.72 kg






TPE - Flexible Delineators With Socket

Reflective High Intensity Grade

	PART No.	DESCRIPTIONS
	22040 UB R	TPE flexible delineator with socket - (HxØ) 100cmx80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.94 kg
	22042 UB R	TPE flexible delineator with socket - (HxØ) 75cmx80mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.73 kg
	22044 UB R	TPE flexible delineator with socket - (HxØ) 45cmx80mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.49 kg
	12275 UB R	TPE flexible delineator - (HxØ) 30 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.53 kg
	12274 UB R	TPE flexible delineator with socket - (HxØ) 40cmx80mm base: (Ø) 180 mm / fixing screw: 3x / weight: 0.52 kg
	12272 UB R	TPE flexible delineator with socket - (HxØ) 70cmx80mm base: (Ø) 180 mm / fixing screw: 3x / weight: 0.74 kg




OPTIONAL ACCESSORIES



TPE - Flexible Delineators With Socket

Reflective High Intensity Grade


	PART No.	DESCRIPTIONS
	22048 UB R	TPE flexible delineator with socket - (HxØ) 100cmx80mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.94 kg
	22050 UB R	TPE flexible delineator with socket - (HxØ) 75cmx80mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.73 kg
	22052 UB R	TPE flexible delineator with socket - (HxØ) 45cmx80mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.49 kg
	22019 UB R	TPE flexible delineator - (HxØ) 30 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.53 kg
	22029 UB R	TPE flexible delineator - (HxØ) 30 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.53 kg
	22053 UB R	TPE flexible delineator with socket - (HxØ) 45cmx80mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.49 kg
	22051 UB R	TPE flexible delineator with socket - (HxØ) 75cmx80mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.73 kg
	22049 UB R	TPE flexible delineator with socket - (HxØ) 100cmx80mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.94 kg



TPE S - Flexible Delineators

Reflective High Intensity Grade

	PART No.	DESCRIPTIONS
	22059 UB R	TPE flexible delineator - (HxØ) 30 cm x 80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.53 kg
	22058 UB R	TPE flexible delineator with socket - (HxØ)45cmx80mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.49 kg
	22057 UB R	TPE flexible delineator with socket - (HxØ)75cmx80mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.73 kg
	22056 UB R	TPE flexible delineator with socket - (HxØ)100cmx80mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.94 kg
	22021 UB R	TPE S flexible delineator - (HxØ) 100 cmx80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 1.2 kg
	22022 UB R	TPE S flexible delineator - (HxØ) 75 cmx80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.95 kg
	22023 UB R	TPE S flexible delineator - (HxØ) 45 cmx80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.73 kg
	22024 UB R	TPE S flexible delineator - (HxØ) 30 cmx80 mm base: (Ø) 200 mm / fixing screw: 3x / weight: 0.53 kg



Curb Traffic Separators

Reflective High Intensity Grade



	PART No.	DESCRIPTIONS
	12251 UB R	curb traffic separator - (HxLxW) 92x100x22 cm fixing screw: 6x / material:PPC-TPU / weight:4.6 kg
	12268 UB R	curb traffic separator - (HxLxW) 75x100x22 cm fixing screw: 6x / material:PPC-TPU / weight:4.2 kg
	12270 UB R	curb traffic separator - (HxLxW) 45x100x22 cm fixing screw: 6x / material:PPC-TPU / weight:3.8 kg




Curb Traffic Separator

Reflective High Intensity Grade



	PART No.	DESCRIPTIONS
	12297 UB R	curb traffic separator - (HxLxW) 92x100x20 cm fixing screw: 4x / material: PPC-TPU / weight: 4.8 kg
	12219 UB R	curb traffic separator - (HxLxW) 75x100x20 cm fixing screw: 4x / material: PPC-TPU / weight: 4.5 kg
	12218 UB R	curb traffic separator - (HxLxW) 45x100x20 cm fixing screw: 4x / material: PPC-TPU / weight: 4.1 kg

OPTIONAL ACCESSORIES




Channelizers With Cat Eyes & Flap & Channelizers Curb

	PART No.	DESCRIPTIONS
	12262 UB	channelizer with cat eyes - (HxLxW) 7.5x100x22 cm fixing screw: 6x / material: PPC / weight: 3.5 kg
	12266 UB R	channelizer with flap - (HxLxW) 66x100x22 cm fixing screw: 6x / material: PPC / weight: 3.6 kg
	12260 UB R	channelizer curb - (HxLxW) 6.0x100x15 cm fixing screw: 3x / material: PVC / weight: 6.0 kg



Panel Size: 57.5x13 cm - Prismatic Reflective Sheeting





Channelizers With Flap

Prismatic Reflective Sheeting

	PART No.	DESCRIPTIONS
	22203 UB R	channelizer with flap - (HxLxW) 28.5x18x20 cm fixing screw: 2x / material: ABS-TPU / weight: 0.62 kg
	22202 UB R	channelizer with flap - (HxLxW) 59x18x20 cm fixing screw: 2x / material: ABS-TPU / weight: 0.86 kg
	22206 DB R	channelizer with flap-(HxLxW)71x30x25cm/fixing screw:2x sign board:48x20cm / material:PPC / weight:2.48kg
	22205 DB R	channelizer with flap-(HxLxW)102.5x30x25cm/fixing screw:2x sign board:80x20cm / material:PPC / weight:2.85kg



Product Specifications

22203 UB R - 22202 UB R - 22206 DB R
 > Impact-resistant flexibility

22205 DB R
 > High impact resistance with foldable capability




Optional Warning Signs (Bi-Directional)

Channelizers With Flap

Prismatic Reflective Sheeting


	PART No.	DESCRIPTIONS
	12206 UB R	channelizer with flap - (HxLxW) 60x26x16 cm fixing screw: 2x / material: PPC-TPU / weight: 0.90 kg
	12207 UB R	channelizer with flap - (HxLxW) 30x26x16 cm fixing screw: 2x / material: PPC-TPU / weight: 0.75 kg
	12204 UB R	channelizer with flap - (HxLxW) 60x118x15 cm fixing screw: 3x / material: PPC-TPU / weight: 2.7 kg
	12203 UB R	channelizer with flap - (HxLxW) 30x118x15 cm fixing screw: 3x / material: PPC-TPU / weight: 2.5 kg



Channelizers Curb & Curb Traffic Separator Flap

	PART No.	DESCRIPTIONS
	12202 UB	channelizer curb - (HxLxW) 4.8x118x15 cm fixing screw: 3x / material: PPC / weight: 2.3 kg
	12220 UB	curb traffic separator flap - (HxLxW) 8.0x100x20 cm fixing screw: 4x / material: PPC / weight: 3.7 kg
	12217 UB	curb traffic separator flap - (HxLxW) 8.0x100x20 cm fixing screw: 4x / material: PPC / weight: 4.1 kg

12220 UB - ELECTRONIC SPECIFICATIONS					
solar panel	type	monocrystalline silicon cell	LED	color	Yellow Red
	dimension (H/L)	60x54 mm		dimension	Ø 5 mm leds
	voltage	3 V		flash rate	115 f/min
	watt	0.4 W		visibility dist.	100 m (night)
rechargeable battery	material	Ni-MH	operation time	whole night / daily sunlight	
	voltage	1.2 V	operation temp.	-20°C/+60°C	
	current	2000 mA/h			





11924 SL K



11926 SL S



11920 SL K



11922 SL S



11921 SL K



11923 SL S

Curb Traffic Separator Signs

	PART No.	DESCRIPTIONS
	11924 SL K	curb traffic separator sign - 145x125x28 mm material: AL / weight: 0.48 kg / fixing: epoxy glue
	11926 SL S	curb traffic separator sign - 145x125x28 mm material: AL / weight: 0.48 kg / fixing: epoxy glue
	11920 SL K	curb traffic separator sign - 145x125x28 mm material: AL / weight: 0.45 kg / fixing screw: 2x
	11922 SL S	curb traffic separator sign - 145x125x28 mm material: AL / weight: 0.45 kg / fixing screw: 2x
	11921 SL K	curb traffic separator sign - 135x120x28 mm material: AL / weight: 0.57 kg / fixing screw: 2x
	11923 SL S	curb traffic separator sign - 135x120x28 mm material: AL / weight: 0.57 kg / fixing screw: 2x

ELECTRONIC SPECS.

solar panel	type	monocrystalline silicon cell	LED	color	Yellow Red
	dimension (H/L)	60x54 mm		dimension	Ø 5 mm leds
	voltage	3 V		flash rate	115 f/min
	watt	0.4 W		visibility dist.	100 m (night)
rechargeable battery	material	Ni-MH	operation time	whole night/ daily sunlight	
	voltage	1.2 V	operation temp.	-20°C/+60°C	
	current	2000 mA/h			

Road Markers With Reflector



12005-2 YB



12005 YB



12000 YB



12006 YB



12002 YB



12003 YB

	PART No.	DESCRIPTIONS
	12005-2 YB	road marker with reflector - 100x100x21 mm material: ABS / weight: 0.15 kg / fixing screw: 2x
	12005 YB	road marker with reflector - 105x105x20 mm material: ABS / weight: 0.12 kg / fixing screw: 2x
	12000 YB	road marker with reflector - 125x150x32 mm material: PPC / weight: 0.20 kg / fixing screw: 4x
	12006 YB	road marker with reflector - 120x220x28 mm material: PPC / weight: 0.22 kg / fixing screw: 2x
	12002 YB	road marker with reflector - 120x120x28 mm material: PPC / weight: 0.18 kg / fixing screw: 4x
	12003 YB	road marker with reflector - 100x220x32 mm material: PPC / weight: 0.24 kg / fixing screw: 4x

Road Markers With Cat Eyes & Reflector



12011 YB



12007 YB



12009 YB



12004 YB



12123 YK




12124 YK

	PART No.	DESCRIPTIONS
	12011 YB	road marker with cat eyes - 100x100x21 mm material: AL / weight: 0.40 kg / fixing: epoxy glue
	12007 YB	road marker with cat eyes - 120x120x28 mm material: AL / weight: 0.30 kg / fixing screw: 2x
	12009 YB	road marker with cat eyes - 100x100x21 mm material: ABS / weight: 0.15 kg / fixing screw: 2x
	12004 YB	road marker with reflector - 140x120x25 mm material: PPC / weight: 0.12 kg / fixing screw: 4x
	12123 YK	road marker with reflector - (Ø) 250x35 mm material: PPC / weight: 0.45 kg / fixing screw: 4x
	12124 YK	road marker with reflector - (Ø) 250x35 mm material: PPC / weight: 0.45 kg / fixing screw: 4x




PVC Speed Ramps With Reflective Tapes & Reflector

PART No.	DESCRIPTIONS
12108 YK	speed ramps with reflective tapes - size: 4.5x60x50 cm material: PVC-PPC / weight: 9.3 kg / fixing screw: 4x
12116 YK	speed ramps with reflective tapes - size: 4.5x60x50 cm material: PVC-PPC / weight: 9.3 kg / fixing screw: 6x
12109 YK K	speed ramp end section - size: 4.5x60x30 cm material: PVC-PPC / weight: 3.4 kg / fixing screw: 2x
12110 YK	speed ramps with reflective tapes - size: 4x40x50 cm material: PVC-PPC / weight: 6.5 kg / fixing screw: 4x
12111 YK K	speed ramp end section - size: 4.0x40x20 cm material: PVC-PPC / weight: 1.7 kg / fixing screw: 2x
12106 YK	speed ramps with reflector - size: 4.0x40x50 cm material: PVC-PPC / weight: 6.5 kg / fixing screw: 4x
12107 YK K	speed ramp end section - size: 4.0x40x20 cm material: PVC-PPC / weight: 1.7 kg / fixing screw: 2x



PPC Speed Bumps With Reflector

PART No.	DESCRIPTIONS
12102 YK	speed bump with reflector - size: 4.0x30x33.5 cm material: PPC / weight: 1.35 kg / fixing screw: 4x
12103 YK K	speed bump end section - size: 4.0x30x10 cm material: PPC / weight: 0.25 kg / fixing screw: 2x
12120 YK	speed bump with reflector - size: 3.5x25x50 cm material: PPC / weight: 1.15 kg / fixing screw: 4x
12121 YK K	speed bump end section - size: 3.5x25x12 cm material: PPC / weight: 0.26 kg / fixing screw: 2x
12100 YK	speed bump with reflector - size: 5.0x25x34.5 cm material: PPC / weight: 1.5 kg / fixing screw: 4x
12101 YK K	speed bump end section - size: 5.0x25x10 cm material: PPC / weight: 0.35 kg / fixing screw: 2x



PPC Speed Bumps With Solar Flasher & Cat Eyes

PART No.	DESCRIPTIONS
11938 SL	speed bump with solar flasher - size: 4.5x50x50 cm material: PPC / weight: 3.1 kg / fixing screw: 4x
11940 SL K	speed bump end section - size: 4.5x50x25 cm material: PPC / weight: 1.1 kg / fixing screw: 2x
12112 YK	speed bumps with cat eyes - size: 4.5x50x50 cm material: PPC / weight: 3.1 kg / fixing screw: 4x
12113 YK K	speed bump end section - size: 4.5x50x25 cm material: PPC / weight: 1.1 kg / fixing screw: 2x



11938 SL - ELECTRONIC SPECIFICATIONS					
solar panel	type	monocrystalline silicon Cell	LED	color	Yellow Red
	dimension (H/L)	60x54 mm		dimension	Ø 5 mm leds
rechargeable battery	voltage	3 V		flash rate	120 f/min
	watt	0.4 W		visibility dist.	100 m (night)
	material	Ni-MH		operation time	whole night/ daily sunlight
	voltage	1.2 V		operation temp.	-20°C/+60°C
	current	2000 mA/h			






Car Parking Stoppers

	PART No.	DESCRIPTIONS
	12231 UB	parking stopper - (HxL) 10x180 cm material: PPC / weight: 6.8 kg / fixing screw: 5x
	12233 UB	parking stopper - (HxL) 10x110 cm material: PPC / weight: 4.3 kg / fixing screw: 3x
	12235 UB	parking stopper - (HxL) 10x55 cm material: PPC / weight: 1.9 kg / fixing screw: 2x
	22231 UB R	parking stopper with reflective tapes - (HxL) 8.5x180 cm material: PPC / weight: 4.3 kg / fixing screw: 5x
	12216 UB R	parking stopper with reflective tapes - (HxL) 10x50 cm material: PVC / weight: 2.4 kg / fixing screw: 3x



22210 UB ST



Folding Locked Parking Barrier

	PART No.	DESCRIPTIONS
	22210 UB ST	folding locked parking barrier - (HxW) 50x38 cm material: PPC-ST / weight: 5.40 kg / fixing screw: 3x



Spike Barrier




12291 UB K

blocker facility for leaving spikes closed and preventing reverse direction passing



	PART No.	DESCRIPTIONS
	12290 UB	spike barrier - size: 6.0x50x50 cm material: PPC-ST / weight: 7.3 kg / fixing screw: 6x
	12291 UB K	spike barrier end section - size: 6.0x50x9.0 cm material: PPC / weight: 0.70 kg / fixing screw: 2x

12290 UB (h6 x 50 x 50 cm)





Parking Corner Guards

Prismatic Reflective Sheeting

	PART No.	DESCRIPTIONS
	12292 UB R	parking corner guard - (H) 90 cm material: PVC / weight: 1.9 kg / fixing screw: 6x
	12295 UB R	parking corner guard - (H) 80 cm material: PVC / weight: 2.0 kg / fixing screw: 6x
	12294 UB R	parking corner guard - (H) 80 cm material: PVC / weight: 1.9 kg / fixing screw: 6x
	12296 UB R	parking corner guard - (H) 80 cm material: PVC / weight: 1.9 kg / fixing screw: 6x



12292 UB R



12295 UB R











12294 UB R



12296 UB R

Traffic Safety Mirrors

	PART No.	DESCRIPTIONS
	12226 TG A	traffic safety mirror - (Ø) 800 mm material: PPC / weight: 5.5 kg
	12227 TG A	traffic safety mirror - (Ø) 800 mm material: PPC / weight: 5.5 kg
	12228 TG A	traffic safety mirror - (Ø) 600 mm material: PPC / weight: 3.8 kg
	12229 TG A	traffic safety mirror - (Ø) 600 mm material: PPC / weight: 3.8 kg
	12248 TG A	traffic safety mirror - size: 600x800 mm material: ABS / weight: 6.0 kg
	12246 TG A	traffic safety mirror - size: 600x800 mm material: ABS / weight: 6.0 kg
	12267 TG A	traffic safety mirror - size: 400x600 mm material: ABS / weight: 3.3 kg
	12265 TG A	traffic safety mirror - size: 400x600 mm material: ABS / weight: 3.3 kg



12226 TG A




12227 TG A



12228 TG A



12229 TG A



12248 TG A



12246 TG A



12267 TG A



12265 TG A




12276 UB D




12277 UB D

ACCESSORIES




188 A




185 A



175 A



129 A



123 A



12279 UB D



12280 UB D

Removable Pavement Bollards

Prismatic Reflective Sheeting

	PART No.	DESCRIPTIONS
	12276 UB D	removable pavement bollards-(HxØ)87x8cm/base:(Ø)110mm fixing screw: 2x / material: TPU / weight: 1.72 kg
	12277 UB D	removable pavement bollards-(HxØ)68x8cm/base:(Ø)110mm fixing screw: 2x / material: TPU / weight: 1.38 kg
	12279 UB D	removable pavement bollards-(HxØ)81.5x8cm/base:(Ø)110mm fixing screw: 2x / material: TPU / weight: 1.62 kg
	12280 UB D	removable pavement bollards-(HxØ)62.5x8cm/base:(Ø)110mm fixing screw: 2x / material: TPU / weight: 1.28 kg



185 A Chain Adaptor Application



188 A Bollards Switch



22026 UB R



22028 UB R




22032 UB R

Ensign Centrum Bollards

Prismatic Reflective Sheeting

	PART No.	DESCRIPTIONS
	22026 UB R	ensign centrum bollard - (H)120 cm panel size:(Ø)300mm fixing screw: 2x / material: TPU / weight: 2.1 kg
	22028 UB R	ensign centrum bollard - (H)108cm panel size:210x125mm fixing screw: 2x / material: TPU / weight: 1.9 kg
	22032 UB R	ensign centrum bollard - (H)103cm panel size:100x400mm fixing screw: 2x / material: TPU / weight: 2.0 kg



Aluminum Composite Panel



Pavement Bollards

Reflective Engineer Grade

	PART No.	DESCRIPTIONS
	12213 UB R	pavement bollard -(HxØ)80x9.0 cm / base: (Ø)200 mm fixing screw: 4x / material: PPC / weight: 1.25 kg
	12223 UB R	pavement bollard -(HxØ)50x9.0 cm / base: (Ø)200 mm fixing screw: 4x / material: PPC / weight: 0.90 kg
	22035 UB R	pavement bollard -(HxØ)80x9.0 cm / base: (Ø)200 mm fixing screw: 4x / material: PPC / weight: 1.25 kg
	22031 UB R	pavement bollard -(HxØ)50x9.0 cm / base: (Ø)200 mm fixing screw: 4x / material: PPC / weight: 0.90 kg



12213 UB R



12223 UB R

Pavement Bollards

Reflective Engineer Grade

	PART No.	DESCRIPTIONS
	12205 UB R	pavement bollard - (H) 50 cm / base: 25x25 cm fixing screw: 4x / material: PE / weight: 1.5 kg
	22033 UB R	pavement bollard - (H) 50 cm / base: 25x25 cm fixing screw: 4x / material: PE / weight: 1.5 kg





12205 UB R



22033 UB R

Safety Bollards - Steel

	PART No.	DESCRIPTIONS
	12293 UB ST	safety bollard - (HxØ)61cmx150mm / base:20x20cm fixing screw: 4x / material: ST / weight: 7.4 kg
	12289 UB ST	safety bollard - (HxØ)78cmx150mm / base:20x20 cm fixing screw: 4x / material: ST / weight: 9.0 kg



12293 UB ST




12289 UB ST


Cable Protector Ramp

parxis[®]




22218 UB




	PART No.	DESCRIPTIONS
	22218 UB	cable protector ramp - size: 24x100x4.5 cm - 2 channels material: Rubber / weight: 7.5 kg





Cable Protector Ramp




12298 UB




	PART No.	DESCRIPTIONS
	12298 UB	cable protector ramp - size: 60x50x7.5 cm - 3 channels fixing screw: 2x / material: PPC / weight: 8.7 kg
	12299 UB	cable protector ramp corner - size: 60x7.5cm - 3 channels fixing screw: 2x / material: PPC / weight: 3.0 kg



12299 UB






Corner Joint Module for Continuous Cable Protection






Tactile Floor Indicators


PART No.	DESCRIPTIONS
PL 8010	tactile floor indicator - size: 40x40 cm material: TPU / weight: 0.70 kg
PL 8011	tactile floor indicator - size: 40x40 cm material: TPU / weight: 0.70 kg
PL 8012	tactile floor indicator - size: 40x40 cm material: TPU / weight: 0.85 kg
PL 8013	tactile floor indicator - size: 40x40 cm material: TPU / weight: 0.85 kg
PL 8014	tactile floor indicator - size: 60x30 cm material: TPU / weight: 0.77 kg
PL 8015	tactile floor indicator - size: 60x30 cm material: TPU / weight: 0.77 kg
PL 8016	tactile floor indicator - size: 60x30 cm material: TPU / weight: 0.90 kg
PL 8017	tactile floor indicator - size: 60x30 cm material: TPU / weight: 0.90 kg
PL 8018	tactile floor indicator - size: 58x58 cm material: TPU / weight: 1.40 kg
PL 8019	tactile floor indicator - size: 58x58 cm material: TPU / weight: 1.40 kg



PL 8010



PL 8011



PL 8012



PL 8013



PL 8014




PL 8015



PL 8016



PL 8017



PL 8018



PL 8019

TPU Anti-Slip Stair Covering

PART No.	DESCRIPTIONS
PL 8020	TPU anti-slip stair covering - size: 60x30 cm material: TPU / weight: 0.90 kg
PL 8022	TPU anti-slip stair covering - size: 60x30 cm material: TPU / weight: 0.90 kg



PL 8020



PL 8022

TPU Anti-Slip Stair Covering

Product Description: Our TPU-based outdoor anti-slip stair covering is a professional safety solution designed for harsh weather conditions such as rain, snow, and frost. Featuring a self-adhesive backing and high-traction surface, it significantly enhances pedestrian safety. It provides a reliable solution against slipping hazards and helps reduce the risk of falls and injuries.

Applications

- > Apartment and residential complex outdoor staircases
- > Schools, hospitals, and public buildings
- > Shopping malls and business centers
- > Factory and warehouse outdoor stairs
- > Parking garages and emergency exit stairs
- > Garden, terrace, and outdoor stairs

Installation and Application Instructions

The stair surface must be dry, clean, and free of dust. Remove the protective film from the back side of the product. Carefully place the product onto the stair tread and apply even pressure over the entire surface to ensure proper adhesion. The surface can be used immediately after application. Full adhesion is achieved in a short time.

Plastic Boards
Reflective Engineer Grade



111 A



Alt. 1



Alt. 2



Alt. 3



Alt. 4



Alt. 5



Alt. 6



196 A



Alt. 1



Alt. 2



Alt. 3



Alt. 4



Alt. 5



222 A R



110 A



Alt. 1



Alt. 2



Alt. 3



114 A



120 A



295 A F



124 A F

	PART No.	DESCRIPTIONS
	111 A	plastic board - size: 40x34 cm
	196 A	plastic board - size: Ø370 mm
	222 A R	traffic sign board - reflective size: Ø370 mm bi-directional sheeting
	110 A	plastic board - size: 50 cm
	114 A	plastic board - size: 34x31 cm
	120 A	plastic board - size: Ø270 mm
	295 A F	traffic sign board - foil size: Ø370 mm bi-directional sheeting
	124 A F	traffic sign board - foil size: Ø270 mm bi-directional sheeting



ETR 5111


ETR 5112

ETR 5121


ETR 5122




ETR 5131



ETR 5141



ETR 5151








ETR 5161

Reflective Tapes







	PART No.	DESCRIPTIONS
	ETR 5111	reflective tapes - 5 cmx10 m/roll - red - white
	ETR 5112	reflective tapes - 10 cmx10 m/roll - red - white
	ETR 5121	reflective tapes - 5 cmx10 m/roll - yellow - black
	ETR 5122	reflective tapes - 10 cmx10 m/roll - yellow - black
	ETR 5131	reflective tapes - 5 cmx11 m/roll - white
	ETR 5141	reflective tapes - 5 cmx11 m/roll - yellow
	ETR 5151	reflective tapes - 5 cmx11 m/roll - red
	ETR 5161	reflective tapes - 5 cmx11 m/roll - blue

Product Assembly Adaptors & Plastic Chains

	PART No.	DESCRIPTIONS
	194 A	delineator adaptor - (Ø) 80 mm
	126 A	cone adaptor - (H) 10.5 cm
	184 A	board adaptor - (Ø) 40mm
	204 A	lamp adaptor - (H) 11 cm
	174 A	threaded handle - Ø40 mm
	185 A	chain adaptor - (Ø) 85 mm
	188 A	bollards switch - (ØxH) 110mm x 0.3 cm
	175 A	chain clip - Ø8 mm
	127 A	8 mm chain - 3 m - red-white
	123 A	8 mm chain - 3 m - black-yellow
	190 A	extra cone base - size: 38.5x38.5x5.0 cm - 5 kg
	128 A	8 mm chain - 25 m pk - red-white
	129 A	8 mm chain - 25 m pk - black-yellow
	152 A R	barricade profile for cones and posts - (L) 150 cm




Fixing Screws

	PART No.	DESCRIPTIONS
	159 A	fixing anchor screw - Ø16x90 - Ø10x100 mm
	160 A	fixing anchor screw - Ø14x70 - Ø7.5x80 mm
	176 A	screw - Ø10x100 mm
	161 A	screw nail - Ø5.5x105 mm
	173 A	anchor - Ø14x70xØ8mm
	172 A	anchor - Ø16x90xØ10mm



EXPORT NETWORK



Distributors & Service

**TEMKA GmbH
GERMANY**

**BERRY Bldg. Mat. Trd.
U.A.E.**

**EVELUXTECH Kft.
HUNGARY**

**DNC Traffic
ROMANIA**

**ARBEL STRAUSS Parking
ISRAEL**

**JL PLASTICS INC.
CANADA**

YUKSELEN&EVELUX are a family businesses that are faithful to their moral values since the foundation. The companies managed by the family have professional staffs on their each departments. Trusty and decisive management make continuous contributions to its staffs to improve motivation and sense of belonging to company family. **EVELUX TRAFFIC SAFETY SYSTEMS TRD.** is foreign trade company of **YUKSELEN** Group. Import-export issues of traffic safety products are being follow up and operated by the head office which is located in Istanbul.

R&D and Quality Control

We obtain the innovation with R&D; and obtain the quality with measuring. With the collaboration of these much important departments we continuously invest in, we manufacture traffic safety products which are meeting TS EN 13422+A1 standard.



Delivery From ready Stocks

Main criterion of our market closeness policy is on-time delivery. To provide this criterion, we developed our selling systems. For local market, we've established our local dealers based on the sales&marketing system; as well as for foreign market, we've organized our foreign partners based on the export system.



EVELUX for QUALITY

As evelux, we sustain excellent quality sense in all conditions ever since the beginning of our establishment. As being aware of our customer's expectations, sector's expectations and most importantly our field's requirements, we are continuously searching, developing and manufacturing to keep our brand as a leader.

Quality for Trust

Our self-confidence in customer relations and selling policy, is based on our quality policy. Our all departments are equipped with a high quality sense based on our knowledge and the technology; and are certified.





1- RECOMMENDATION

Our wide range of products makes it easy for you to create safer roads. **evelux** dealers will help you to get more information.

2- CERTIFICATION

YÜKSELEN METAL is certified according to EN ISO 9001:2015 and ISO 14001:2015. Certification has been made according to the wide range of steps which is required for product quality. Moreover, it includes continuous training of employees to improve internal operating procedures and strengthen relationships with our customers. It is our success to provide you with the highest level of service.

3- CATALOGS

In addition to our main catalog, we offer special product brochures for the use of municipality, road construction companies, parking lot management employees, and site management. Please ask our dealers or view online.

4- WEBSITE

Further, you can review our product specifications by visiting our website. You can get a comprehensive more idea from our e-technical catalog. The dimensions in the catalog are technical drawing values. Check on the actual product.
www.eveluxtech.com

EVELUX

Traffic Safety Systems Trd. Co.

Marmara Regional Office

Şerifali Mah. Mevdudi Sok. No: 33/35
34775 Ümraniye / İSTANBUL / TÜRKİYE
☎ +90 216 755 30 75
✉ export@eveluxtech.com
🌐 www.eveluxtech.com

Factory

YUKSELEN METAL
MOULD PLASTIC CO.LTD.

(KOS) Kırım Cad.Sarı Çiçek Sok.No:3
42250 Selçuklu / KONYA / TÜRKİYE
☎ +90 332 248 10 73
☎ +90 332 251 81 65
✉ satis@eveluxtech.com
🌐 www.yukselenmetal.com.tr

EVELUX is a group company of
YUKSELEN GROUP

2026 All products are developed &
designed in R&D department
of YUKSELEN CO.LTD. All designs
are patent pending.

Export Catalogue - 2026



14001:2015



CE 200605



TS EN 13422+A1

eveluxtech.com

